



**Flammable Safety Cabinets**  
**45 & 60 Gallon | Two-Door (Manual or Auto-Close)**  
**Multi-Color | Powder-Coated Steel**  
**ETL Certified to UL/ULC 1275**

**45**  
gal.



**60**  
gal.



## Short Description

---

- Reinforced double-wall 18-gauge steel construction
- Thermal air gap insulation 1.5 in. (3.8 cm) on sides, top, bottom, back and doors
- Durable powder coat finish
- Heavy duty full-length piano hinges
- Grounding lug connection
- Flush mounted paddle handle with keyed cam lock
- (4) Adjustable galvanized leveling feet
- (2) Adjustable Shelves

- Trilingual warning labels
- 2 in. (5.1 cm) raised leakage containment basin
- Shelf Load Capacity: 125 lbs. (45-Gallon) or 167 lbs. (60-Gallon)
- Heavy-duty welded and riveted construction
- (2) 2 in.(5.1 cm) flame arrestors
- 2.7" (6.8 cm) centers for shelf brackets
- Door closings: Manual or Auto-close with heat-responsive link

## Description

---

FireKing 45-Gallon and 60-Gallon Flammable Safety Cabinets are designed for flammable liquid storage. Constructed of durable steel, both models feature reinforced double-wall construction with a 1.5-inch (3.8 cm) thermal air gap. The cabinets have a high-gloss powder coat finish for durability and corrosion resistance. Each unit includes two flame arrestors, 2.5 inches (6.4 cm) in size, with a fire baffle and cap for safety.

Both the 45-gallon and 60-gallon models feature double doors with a keyed cam lock and paddle handle for secure closure. The 45-gallon model measures 43 inches wide by 18 inches deep by 65 inches high (109.2 cm x 45.7 cm x 165.1 cm), with a net weight of 296 lbs (134 kg), while the 60-gallon model measures 34 inches wide by 34 inches deep by 65 inches high (86.4 cm x 86.4 cm x 165.1 cm), with a net weight of 346 lbs (157 kg). Both cabinets include two adjustable shelves, with a load capacity of 125 lbs (56.7 kg) for the 45-gallon model and 167 lbs (75.7 kg) for the 60-gallon model. Shelves are supported by four brackets and can be adjusted with a 2.7-inch (6.8 cm) spacing.

These cabinets comply with UL/ULC, OSHA, NFPA, and ANSI codes. Additional features include full-length piano hinges, leveling legs for stability, and a grounding attachment for enhanced safety. The units also feature a raised, leakproof door sill for spill containment. Available in yellow, red, green, blue, and platinum, FireKing Flammable Safety Cabinets offer reliable protection and compliance for hazardous material storage.

All Flammable Safety Cabinets come with a ten-year structural warranty, FireKing's exclusive Free After-Fire Replacement Guarantee, and are union-made in the USA.

## Specifications

Model No: 45-Gallon	SC45-MC-Y,-R,-G,-B,-PL
Model No: 60-Gallon	SC60-MC-Y,-R,-B,-G,-PL
Color	Yellow (-Y), Red (-R), Green (-G), Blue (-B), Platinum (-PL)
Material Specifications	18-Gauge Steel with Reinforced Double-Wall Construction
OSHA	Yes
NFPA 30	Yes
Door Style	Double Door Manual or Auto Close
UPC: 45-Gallon	033983097231 (Y) 033983097286 (B) 033983097323 (PL) 033983097262 (R) 033983097309 (G)
UPC: 60-Gallon	033983097248 (Y) 033983097293 (B) 033983097330 (PL) 033983097279 (R) 033983097316 (G)
Dimensions: Exterior	43" W x 18" D x 65" H (45) / 34" W x 34" D x 65" H (60)
Dimensions: Interior	39.8" W x 14.7" D x 60.3" H (45) 30.5" W x 30.8" D x 60.3" H (60)
Number of Doors	2
Number of Shelves	2
Lock	Keyed Cam Lock
Gallon Capacity	45 / 60
Liter Capacity	170 L / 227 L
Replacement Shelf Model No.	X410275 (45) / X410185 (60)
Shelf Depth	14.2" (45) / 30.2" (60)
Net Weight: lbs.	296 (45) / 346 (60)
Net Weight: kgs.	134 (45) / 157 (60)
Adjustable Shelves	Yes
Warranty	10Yr. Structural- Free After Fire Replacement Guarantee